

## CLAIMS

What is claimed is:

- 1           1.     A system for generating electricity from a wind comprising:  
2                 an enclosure for mounting within or in close proximity to the building, the enclosure  
3                 having an air intake and an air exhaust;  
4                 a wind turbine disposed within the enclosure between the air intake and the air  
5                 exhaust, the wind turbine generating electricity from the wind received from the air intake;  
6                 and  
7                 two or more air ducts, each air duct having a first end connected to an air duct intake  
8                 device for mounting on the building and a second end connected to the enclosure air intake.
- 1           2.     The system as recited in claim 1 wherein the first end of the two or more ducts  
2                 has a larger cross sectional area than the second end of the two or more ducts.
- 1           3.     The system as recited in claim 1 further comprising an intermediate duct  
2                 disposed between the enclosure air intake and the second ends of the two or more ducts.
- 1           4.     The system as recited in claim 1 wherein the air duct intake device is a grill  
2                 mounted on an exterior of the building.
- 1           5.     The system as recited in claim 1 wherein the air duct intake device is an air  
2                 scoop.

1           6.     The system as recited in claim 5 wherein the air scoop has a directional inlet  
2     that changes position in favor of the wind direction.

1           7.     The system as recited in claim 5 wherein the directional inlet is remotely  
2     controlled.

1           8.     The system as recited in claim 1 further comprising an air flow focusing  
2     device disposed within the enclosure between the enclosure air intake and the wind turbine.

1           9.     The system as recited in claim 1 wherein the enclosure is mounted within an  
2     attic of the building.

1           10.    The system as recited in claim 1 wherein the enclosure is mounted within a  
2     basement of the building.

1           11.    The system as recited in claim 1 wherein the enclosure is mounted outside the  
2     building and the two or more ducts are substantially disposed within the building.

1           12.    The system as recited in claim 1 wherein the wind turbine is mounted on a  
2     vibration dampener within the enclosure.

1           13.    The system as recited in claim 1 wherein the enclosure is insulated for sound.

1           14.    The system as recited in claim 1 further comprising a processor for monitoring  
2     and controlling the wind turbine.

1           15.    The system as recited in claim 1 further comprising an exhaust duct having a  
2     first end connected to the enclosure air exhaust and a second end connected to an air exhaust.

1 16. The system as recited in claim 15 wherein the air duct exhaust device is a grill  
2 mounted on an exterior of the building.

1 17. The system as recited in claim 15 wherein the cross sectional area of the  
2 exhaust duct is substantially larger than the cross sectional area of the two or more air ducts.

1 18. A building adapted to generate electricity from a wind comprising:  
2 an enclosure disposed within or in close proximity to the building, the enclosure  
3 having an air intake and an air exhaust;

4 a wind turbine disposed within the enclosure between the air intake and the air  
5 exhaust, the wind turbine generating electricity from the wind received from the air intake;  
6 and

7 two or more air ducts, each air duct having a first end connected to an air duct intake  
8 device mounted on an exterior of the building and a second end connected to the enclosure  
9 air intake.

1 19. The building as recited in claim 18 wherein the first end of the two or more  
2 ducts has a larger cross sectional area than the second end of the two or more ducts.

1 20. The building as recited in claim 18 further comprising an intermediate duct  
2 disposed between the enclosure air intake and the second ends of the two or more ducts.

1 21. The building as recited in claim 18 wherein the air duct intake device is a grill.

1 22. The building as recited in claim 18 wherein the air duct intake device is an air  
2 scoop.

1 23. The building as recited in claim 22 wherein the air scoop has a directional  
2 inlet that changes position in favor of the wind direction.

1 24. The building as recited in claim 22 wherein the directional inlet is remotely  
2 controlled.

1 25. The building as recited in claim 18 further comprising an air flow focusing  
2 device disposed within the enclosure between the enclosure air intake and the wind turbine.

1 26. The building as recited in claim 18 wherein the enclosure is mounted within  
2 an attic of the building.

1 27. The building as recited in claim 18 wherein the enclosure is mounted within  
2 the basement of the building.

1 28. The building as recited in claim 18 wherein the wind turbine is mounted on a  
2 vibration dampener within the enclosure.

1 29. The building as recited in claim 18 wherein the enclosure is insulated for  
2 sound.

1 30. The building as recited in claim 18 further comprising a processor for  
2 monitoring and controlling the wind turbine.

1 31. The building as recited in claim 18 further comprising an exhaust duct having  
2 a first end connected to the enclosure air exhaust and a second end connected to an air  
3 exhaust mounted on the exterior of the building.

1            32.     The building as recited in claim 18 wherein the air duct exhaust device is a  
2 grill.

1            33.     The building as recited in claim 18 wherein the cross sectional area of the  
2     exhaust duct is substantially larger than the cross sectional area of the two or more air ducts.

[illegible]